

NEW!

EURO



HIGH QUALITY SPRAY GUN EQUIPMENT
COMPATIBLE WITH ALL DISPOSABLE CUPS
MEETS THE NEW ERA OF WATERBORNE SPRAY GUNS

mgdistributor.com
USA

EURO 5200H SERIES

HIGH PERFORMANCE

GRAVITY FEED HVLP SPRAY GUN.

EURO

Fluid Output : 145 l/Min

Air Consumption : ~9cfm


Cup Capacity : 1000 c.c.

Pattern Length: 295mm

Air Pressure : 15 – 28 PSI

Air Inlet : 1/4" NPS Fluid Inlet M16x1.5P

Model	Orifice	NOZZLE , NEEDLE KIT	
EUR-5213	1.3 mm	EUR-5213N	1.3 mm Set
EUR-5214	1.4 mm	EUR-5214N	1.4 mm Set
EUR-5216	1.6 mm	EUR-5216N	1.6 mm Set
EUR-5218	1.8 mm	EUR-5218N	1.8 mm Set
EUR-5221	2.1 mm	EUR-5221N	2.1 mm Set
★ EUR-5201	REPAIR KIT		



EURO 4200A SERIES

HIGH PERFORMANCE GRAVITY FEED HVLP SPRAY GUN


EURO

Fluid Output : 145 l/Min
Air Consumption : ~9cfm
Cup Capacity : 1000 c.c.

Pattern Length: 300mm
Air Pressure : 15 – 28 PSI
Air Inlet : 1/4" NPS Fluid Inlet M16x1.5P

Model	Orifice	NOZZLE , NEEDLE KIT	
EUR-4213A	1.3 mm	EUR-4213AN	1.3 mm Set
EUR-4214A	1.4 mm	EUR-4214AN	1.4 mm Set
EUR-4216 A	1.6 mm	EUR-4216 AN	1.6 mm Set
EUR-4218 A	1.8 mm	EUR-4218 AN	1.8 mm Set
EUR-4220 A	2.0 mm	EUR-4220AN	2.0 mm Set
EUR-4222 A	2.2 mm	EUR-4222AN	2.2 mm Set
EUR-4225 A	2.5 mm	EUR-4225AN	2.5 mm Set

★EUR-4201A REPAIR KIT



- Superior finish quality.
- Enhanced atomization.
- Use with base, clear coats & waterborne bases.

EURO 4200B SERIES


MINI HVLP AIR SPRAY GUN

Fluid Output : 170 l/Min
Air Consumption : ~8.5cfm
Cup Capacity : 1000 c.c.

Pattern Width : 300mm
Air Pressure : 15 – 28 PSI
Air Inlet : 1/4" NPS Fluid Inlet M16x1.5P

Model	Orifice	NOZZLE , NEEDLE KIT	
EUR-4208B	0.8 mm	EUR-4208BN	0.8 mm Set
EUR-4210B	1.0 mm	EUR-4210BN	1.0 mm Set
EUR-4212B	1.2 mm	EUR-4212BN	1.2 mm Set
EUR-4214B	1.4 mm	EUR-4214BN	1.4 mm Set

★EUR-4201B REPAIR KIT



EURO 3200H SERIES

HIGH PERFORMANCE

GRAVITY FEED HVLP SPRAY GUN.

EURO

Fluid Output : 145 l/Min Pattern Width : 300mm
Air Consumption : 250 l/min Air Pressure : 15 – 28 PSI
Cup Capacity : 1000 c.c. Air Inlet : 1/4" NPS Fluid Inlet M16x1.5P

Model	Orifice	NOZZLE , NEEDLE KIT	
EUR-3213H	1.3 mm	EUR-3213HN	1.3 mm Set
EUR-3214H	1.4 mm	EUR-3214HN	1.4 mm Set
EUR-3217H	1.7 mm	EUR-3217HN	1.7 mm Set
EUR-3219H	1.9 mm	EUR-3219HN	1.9 mm Set
EUR-3221H	2.1 mm	EUR-3221HN	2.1 mm Set
EUR-3225H	2.5 mm	EUR-3225HN	2.5 mm Set

★EUR-3201 REPAIR KIT



- Superior finish quality.
- Enhanced atomization.
- Use with base, clear coats & waterborn bases.

EURO 3200M SERIES

MRP AIR SPRAY GUN (Reduced Pressure)

Fluid Output : 170 l/Min Pattern Width : 300mm
Air Consumption : 240 l/min Air Pressure : 15 – 28 PSI
Cup Capacity : 1000 c.c. Air Inlet : 1/4" NPS Fluid Inlet M16x1.5P

Model	Orifice	NOZZLE , NEEDLE KIT	
EUR-3213M	1.3 mm	EUR-3213MN	1.3 mm Set
EUR-3214M	1.4 mm	EUR-3214MN	1.4 mm Set
EUR-3217M	1.7 mm	EUR-3217MN	1.7 mm Set
EUR-3219M	1.9 mm	EUR-3219MN	1.9 mm Set
EUR-3221M	2.1 mm	EUR-3221MN	2.1 mm Set
EUR-3225M	2.5 mm	EUR-3225MN	2.5 mm Set

★EUR-3201 REPAIR KIT



EURO 2200 SERIES

HIGH PERFORMANCE

GRAVITY FEED HVLP SPRAY GUN.

EURO

Fluid Output : 150 l/Min

Air Consumption : ~9.5cfm

Cup Capacity : 1000 c.c.

Pattern Length: 310mm

Air Pressure : 15 – 28 PSI

Air Inlet : 1/4" NPS Fluid Inlet M16x1.5P

Model	Orifice	NOZZLE , NEEDLE KIT	
EUR-2212	1.2 mm	EUR-2212N	1.2 mm Set
EUR-2213	1.3 mm	EUR-2213N	1.3 mm Set
EUR-2214	1.4 mm	EUR-2214N	1.4 mm Set
EUR-2215	1.5 mm	EUR-2215N	1.5 mm Set
EUR-2216	1.6 mm	EUR-2216N	1.6 mm Set
EUR-2218	1.8 mm	EUR-2218N	1.8 mm Set
EUR-2220	2.0 mm	EUR-2220N	2.0 mm Set
EUR-2225	2.5 mm	EUR-2225N	2.5 mm Set



★EUR-2201 REPAIR KIT

- High transfer efficiency.
- Optimum results.
- To use with waterborne base & clear coats.

EURO 7000 AQUADRY GUN

Large volume airflow

Perfect solution for water-based applications

Shorter drying time


Fine filter prevents contamination on the paint

Air Consumption : 16cfm (at 4 BAR - 58 PSI)

Weight : 440g

Model

EUR- 7000	Aquadry Gun
EUR- 7001-A	Stand for 2 Aquadry Guns
EUR- 7001-B	Stand for 3 Aquadry Guns
EUR- 7002	Stand with 2 EURO Aquadry Guns
EUR- 7003	Stand with 3 EURO Aquadry Guns



EUR-1203 **Air Brush**

Fluid Nozzle : 0.3mm
Working Pressure : 15-30 PSI
Cup Capacity: 5 C.C.

EUR-1205 **Air Brush**

Fluid Nozzle : 0.5mm
Working Pressure : 15-30 PSI
Cup Capacity: 5 C.C.

EURO

The EURO Airbrush is completely flexible and is good for fine details, graphic design, crafts, and hobbies.

EUR-1250 **Mini Air Compressor**

Electric Motor: 1/6 HP 110/220V, 60/50 Hz
Air Displacement:
240v/50 Hz 1.5 CFM (42L/min)
Connection: 1/8" Max. pressure: 60PSI (4.2kg)



EUR-2202
80 C.C.
Alu Cup



EUR-2203
150 C.C.
Alu Cup



EUR-2204
600 C.C.
Alu Black Cup



EUR-2205
1000 C.C.
Alu Black Cup



EUR-2206
600 C.C.
Alu Cup



EUR-2207
600 C.C.
Nylon Cup



EUR-2208
1000 C.C.
Alu Cup



EUR-2208BL
1000 C.C.
Alu Cup



EUR-2209
Blue Lid
3 PCs



EUR-2209B
Black Lid
3 PCs



EUR-2209M
Mini Blue Lid
3 PCs



EUR-2210
Cleaning Kit
17 PCs



EUR-1211
Air Regulator
With Gauge

722 E 9th Place #A
Los Angeles, CA 90021
(888) 310-9909

Tel: (213) 627-1011 • Fax: (213) 627-2288

mgdistributor@gmail.com

mgdistributor.com

USA